**Series: Westlake Ranch Homes** 

Model: 3W1015-P





# **About This Model**

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1493

| CUS |      | //IED | COL        | UΤΛ   | CT |
|-----|------|-------|------------|-------|----|
| 000 | I UI | VIEN  | <b>GUI</b> | N I H | U  |


| Notes: |  |  |  |
|--------|--|--|--|
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |

Series: Westlake Ranch Homes

Model: 3W1015-P



# **Floorplan**



| <b>CUSTOMER CONTACT</b> | Notes: |
|-------------------------|--------|
|                         |        |
|                         |        |

Series: Westlake Ranch Homes

Model: 3W1015-P



### **Standards & Features**

#### Interior

Primed Drywall Throughout

Orange Peel Finish

8'-0" Flat Ceiling

Orange Peel Finish

Recessed LED Lights

Black Dining Room Light

2-Panel White Painted

Craftsman Interior Doors

Pre-Hung Doors with Mortise

Hinges

Metal Interior Passage Sets

Window Valances

1" Mini Blinds Throughout

Smoke Detectors with Battery

Back-Up

Wire Shelving in Closets

White Painted Mouldings

Throughout

2 ¼" Window and Door Casing

#### Exterio

Black Lantern Light at

Front and Rear Door

Vinyl Dutch Lap Siding

Vinyl Insulated Windows with

Low-E Glass

Lineals Front Door Side

**GFI-Protected Exterior** 

Receptacle at Each ExteriorDoor

O.S.B. Sheathing

Fixed Roof

**Exterior (continued)** 

12" Overhangs & Dy Eaves (Ranch)

4" Overhangs & amp; 12"

Eaves (Single)

3-Tab Shingles

Ridge Vent Roof Ventilation

System

Ice Shield

3/0x6/8 Fiberglass 6-Panel

Front & amp; Rear

Door w/ Deadbolt Keyed Alike

Locksets

#### Construction

Transverse Floor System on 16" Centers

with 3/4" OSB Decking\*\*

2x6 Floor Joist on 14 and 28 Wide Models

2x8 Floor Joist on 16 and 32 Wide Models

2x6 Exterior Walls on 16" Centers

82" Windows Headers

30# Roof Load

#### Kitcher

Empire Brushed Nickel High

Rise Faucet

Stainless Steel Sink 33x22x8

One USB Receptacle

30" Black Free-Standing Gas

Range

Power Range Hood with

Fan & amp; Light

18 Cu. Ft. Black Frost-Free Double Door Refrigerator

| $\cap$ | ICT | UIV. | /IED | COL | NTACT  |
|--------|-----|------|------|-----|--------|
| いし     | JΟI | UIV  | /IEN | UUI | NI ACI |

| Notes: |  |  |  |
|--------|--|--|--|
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |

Series: Westlake Ranch Homes

Model: 3W1015-P



# **Standards & Features (continued)**

#### **Baths**

60" Fiberglass Tub/Showers Tub/Shower Curtain & Curtain

Curved Rod

1.6 Gallon Per Flush Elongated

Toilets

China Stool, Tank, & Did Square China Sinks with

Overflows & amp; Pop-Up Drains

Bevel Edge Mirrors

**Empire Brushed Nickel Faucets** 

Anti-Scald Valves on Showers & Dry 19 (1997)

Tubs

#### Cabinetry

**KCMA** 

Premium Mission Cabinet Doors with Full Overlay

Premium Cabinet Face Frames

& Stiles

**Brushed Nickel Cabinet** 

Hardware

Hidden Cabinet Hinges 30"/36" Staggered Overhead

Cabinets

Base & Dall Cabinets with Adjustable Shelves
100# Undermount Soft Close

**Drawer Guides** 

Laminate Countertops with

Crescent Edge

4" Laminate Backsplash

36" High Vanities

#### **Bedrooms**

Wire Shelving in Closets Switched Light in All Walk-In Closets

Flooring

Take Away Shaw Carpet with ShawGuard Carpet Protector Rebond Carpet Pad with Tackstrip Carpet Installation LuxFlor No-Wax Vinyl Floor Coverings

#### Utilities

100 AMP Electrical Service
Plumb & Dryer Wire for Washer
Wire & Dryer
Water Shut Offs Throughout
Main Water Shut-Off Valve
One Exterior Water Faucet
30 Gallon Electric Hot Water

Heater with Pan Air Ready Gas Furnace 5-Wire Thermostat

Copper Wiring Throughout

#### Insulation

Floor R-11 Fiberglass Insulation
Walls R-19 Fiberglass Insulation
Ceiling R-30 Avg. Blown Insulation
\*\*Spacing for Framing Members may vary
due to Design Requirements

| $\cap$ I | ICT | UIV. | /IED | COR | JT/          | CT   |
|----------|-----|------|------|-----|--------------|------|
| υl       | JOI | UIV  | /IER | GUI | 4 I <i>F</i> | \U I |

| Notes: |  |  |  |
|--------|--|--|--|
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |